JOURNAL OF ELECTROCARDIOLOGY
Copyright © 1971 by Research in Electrocardiology, Inc.

Vol. 4
Printed in U.S.A.

Author Index Volume 4

Abildskov, J. A., 58,87
Alvares, R., 307
Arthur, R. M., 29, 291
Bacos, J. M., 299
Barreto, E. C., 116, 322
Beckmann, C. H., 137
Benchimol, A., 116, 129, 322
Bennett, D., 145
Bishop, S. P., 315
Blount, G. S., Jr., 70
Bocage, A. J., 34
Boivin, M. R., 299
Bouvrain, Y., 168
Brenes, C. P., 44
Briller, S. A., 29
Brorson, L., 377
Bruce, T. A., 67
Burns-Cox, C. J., 211
Burgess, M. J., 58, 87, 231
Cadwallader, J., 358
Calatayud, J. B., 182
Cannon, E., 275
Castellanos, A., Jr., 363
Chevalier-Cholat, A. M., 341
Christ, J. E., 331
Chung, E. K., 220
Coraboeuf, E., 187
Coumel, P., 168
Da Costa, B. B., 307
D'Alche, P., 187
D'Cruz, I. A., 240
D'Cunha, G. F., 371
De Padua, F., 307
Desser, K. B., 129, 322
Dos Reis, D. D., 307
Dougherty, J. D., 249
Edgett, J., 267
Evans, R. W., 267
Ewy, G. A., 358
Fabiato, A., 168
Felix, S. M., 307
Fletcher, R. D., 299
Geselowitz, D. B., 29, 291
Gordon, A. J., 91
Gretenstein, M., 153
Gyulai, F., 158
Haiat, R., 363
Harris, A. S., 34
Heinle, R., 24
Heuillet, G., 341
Hill, J. D., 283, 347
Hoff, H. E., 331
Hoffman, I., 279
Hudson, R. E. B., 145
Jouve, A., 341
Kazemias, T. M., 62
Keshishian, J. M., 299
Kezdi, P., 178
Kim, O. J., 261
Kluge, W. F., 11
Kochar, M. S., 371
Korsgren, M., 19
Kurt, T., 70
Lancaster, M. C., 137
Lau, L. C., 211
Lepeschkin, E., 34
Lemberg, L., 363
Lewis, C. M., 199
Loew, D. E., 77
Longo, M. R., 271
Lopes, V. M., 307
Manitsas, G. T., 261
Marcus, F. I., 358
Mark, H., 271
Massumi, R. A., 299
Medrano, G. A., 44
Melbin, J., 283
Mellen, H. S., 204
Mershon, J. C., 267
Millar, K., 58
Miller, H., 80
Moore, E. N., 283
Motte, G., 168
Mueller, W. J., 231
Napodano, R. J., 275
Nelson, W. P., 267
Nuttall, A. J., 358
Olsson, B., 19, 377
Otero, H., 34
Parisi, A. F., 137
Patton, R. D., 24
Pedraza, A., 116
Pryor, R., 70
Rogers, W. A., 315
Rubenfire, M., 204
Ruesta, V. J., 50
Rybak, B., 153
Saadjian, A., 341
Schamroth, L., 227
Schweitzer, P., 204
Scott, R. C., 261
Silver, H., 182
Skarvan, K., 377
Slama, R., 168
Smithen, C. S., 145
Smyth, N.P.D., 299
Sodi-Pallares, D., 44
Sowton, E., 145
Spear, J. F., 283
Spitz, H. B., 261
Stein, P. D., 67
Suckling, E. E., 153
Takahashi, N., 83
Tell, R., 279
Toh, B. H., 211
Torresani, J., 341
Trost, R. F., 29
Varnauskas, E., 19
Vick, R. L., 105
Vincenzi, F. F., 11
Walsh, L. F., 231
Walsh, S. Z., 158
Wang, R. I. H., 371
Wasserburger, R. H., 62
Wayneberger, M., 168
Wennemark, J. R., 50
Worthington, F. X., 363
Zao, Z. Z., 179, 374
Zaroff, L., 275
Zoneraich, O., 1, 369
Zoneraich, S., 1, 369

Subject Index Volume 4

A

Abnormalities
electrocardiographic abnormalities in generalized tetanus, 3:271-274
electrocardiographic changes simulating hypokalemia during treatment with lithium carbonate, 4:371-373
Frank VCG in left anterior hemiblock, 2:116-128
Frank VCG in left posterior hemiblock, 2:129-136
neurogenic abnormalities of ventricular repolarization, 2:87-90

Acetylstrophathidin
mechanically-induced arrhythmias in digitalized hearts, 1:11-18

Action potential
Duration
in canine purkinje tissue: effects of preceding excitation, 2:105-115
Monophasic
epicardial monophasic action potential changes during blood pressure alteration in the self-breathing rabbit, 2:153-157
further improved method for measuring, 1:19-23
mechanoelectrical model reproducing ECG, VCG, and electrical cardiac field from, 3:187-198

Acute pulmonary embolism
left axis deviation as an electrocardiographic manifestation, 1:67-69

Analysis
statistical analysis of atrial arrhythmia in AV block, 4:331-340

Aneurysm
left posterior hemiblock—a new diagnostic sign in dissecting aneurysm, 3:261-266

Animal studies
Cats
electrocardiographic parameters of normal domestic cat, 4:315-321
Dogs
action potential duration in canine purkinje tissue: effects of preceding excitation, 2:105-115
electrocardiographic diagnosis of right ventricular enlargement in dogs, 4:347-357
induction of arrhythmias by sympathetic activity before and after occlusion of a coronary artery in heart, 1:34-43
microelectrode study of 2:1 conduction block in canine purkinje fibers, 1:50-57
necrosis of the posterior aspect of the free left ventricular wall associated with block of the posterior subdivision of left bundle branch of His, 1:44-49
permanent pervenous atrial pacing, 4:299-306
post extra-systolic potentiation during coupled stimulation of the heart, 4:341-346
sequence of atrial excitation in dog during antegrade & retrograde activation, 4:283-290
Rabbits
epicardial monophasic action potential changes during blood pressure alteration in self-breathing rabbit, 2:153-157
mechanically-induced arrhythmias in digitalized hearts, 1:11-18

Arrhythmias
cardiac arrhythmias related to artificial pacemakers, 3:220-226
induction of arrhythmias by sympathetic activity before and after occlusion of a coronary artery in canine heart, 1:34-43
mechanically-induced in digitalized hearts, 1:11-18
paroxysmal atrial tachysystole with exit block, 1:80-82
statistical analysis of atrial arrhythmia in AV block, 4:331-340
Wolff-Parkinson-White syndrome: association of Group B with paroxysmal atrial fibrillation, 1:77-79

Atrial excitation
sequence of atrial excitation in dog during antegrade & retrograde activation, 4:283-290

Atrial pacing
permanent pervenous atrial pacing, 4:299-306
two observations regarding pervenous atrial pacing from coronary sinus, 3:275-278

Atrial tachycardia
paroxysmal atrial tachysystole with exit block, 1:80-82

B

Block
atrial tachycardia with high degree of intra-atrial block, 4:369-370
bradycardia-dependent atrio-ventricular block — report of 2 cases of AV block elicited by premature beats, 2:168-177
diagnostic changes of acute myocardial infarction in ECG and VCG with coexisting complete left bundle branch block, 3:267-270
false bilateral bundle branch block, 1:58-61
Frank VCG in left anterior hemiblock, 2:116-128
Frank VCG in left posterior hemiblock, 2:129-136
left posterior hemiblock, 3:204-210
left posterior hemiblock — new diagnostic sign in dissecting aneurysm, 3:261-266
microelectrode study of 2:1 conduction block in canine purkinje fibers, 1:50-57
necrosis of posterior aspect of the free left ventricular wall associated with block of the posterior subdivision of the left bundle branch of His, 1:44-49
normalization of bundle branch block pattern in early beats, 3:199-203
statistical analysis of atrial arrhythmia in AV block, 4:331-340
study of chronic heart block using His bundle electrograms, 1:24-28
trifascicular block — an electrocardiographic, hemodynamic, and pathological correlation, 2:145-152
vectorcardiographic features of left anterior hemiblock combined with complete right bundle branch block, 4:322-330

Book review
computers in electrocardiography, 2:178

C

Cardiomegaly
unusual giant P waves in a boy of 12 with cardiomegaly, 1:70-76

Children
phonocardiographic studies during experimental hypo- and hypervolemia in healthy newborn, 2:158-167
unusual giant P waves in a boy of 12 with cardiomegaly, 1:70-76

Computers
heart vector magnitude: a simple recording system, 4:377-378
in electrocardiography (book review), 2:178

Control unit
a stimulator control unit for use in cardiac research, 3:231-239

D

Derivation
of aimed electrocardiographic leads from the multiple expansion, 4:291-298

Devices
stationary television display of analog events — an aid to cardiovascular teaching, 4:358-362

Diagnosis
diagnostic changes of acute myocardial infarction in the ECG & VCG with coexisting complete left bundle branch block, 3:267-270
diagnostic value of P wave in lead V_1 in chronic obstructive pulmonary disease, 3:182-186
electrocardiographic diagnosis of right ventricular enlargement in dogs, 4:347-357
left posterior hemiblock — new diagnostic sign in dissecting aneurysm, 3:261-266
paroxysmal atrial tachysystole with exit block, 1:80-82
vectorcardiographic features of left anterior hemiblock combined with complete right bundle branch block, 4:322-330

E

Ectopic rhythm
two observations regarding pervenous atrial pacing from the coronary sinus, 3:275-278

Electrocardiogram
derivation of aimed electrocardiographic leads from the multiple expansion, 4:291-298
diagnostic changes of acute myocardial infarction in ECG & VCG with coexisting complete left bundle branch block, 3:267-270
elimination of turnaround time in routine ECG processing, 3:279-281
necrosis of the posterior aspect of the free left ventricular wall associated with block of the posterior subdivision of the left bundle branch of His, 1:44-49
of healthy young Chinese & Malay men, 3:211-219
path of the electrical center of the human heart determined from surface electrocardiograms, 1:29-33
spectrum of ST segment elevation in electrocardiograms of healthy adult men, 2:137-144
unusual normalization of ECG on the 6th day of myocardial infarction, 4:363-368

Editorial
major VCG systems proposed in USA, 3:179-181
neurogenic abnormalities of ventricular repolarization, 2:87-90

Educational aids
stationary television display of analog events — an aid to cardiovascular teaching, 4:358-362

Electrical center of heart
path of the electrical center of the human heart determined from surface electrocardiograms, 1:29-33

Electrode catheter
further improved method for measuring monophasic action potentials of intact human heart, 1:19-23

Ethnic comparison
ECG of healthy young Chinese & Malay men, 3:211-219

Evaluation
how to evaluate the ST segment elevation during or after exercise (letter), 1:83
of ST elevation & T wave inversion after exercise (letter), 1:84-85

Experimental studies
induction of arrhythmias by sympathetic activity before & after occlusion of coronary artery in canine heart, 1:34-43

Extra-systolic potentiation
during coupled stimulation of the heart, 4:341-346

H

Heart distance
relation of QRS magnitude to the frontal QRS axis & heart-electrode distance, 3:249-260

Heart enlargement
electrocardiographic diagnosis of right ventricular enlargement in dogs, 4:347-357

His branch
necrosis of the posterior aspect of the free left ventricular wall associated with block of the posterior subdivision of left bundle branch of His, 1:44-49

His bundle
study of chronic heart block using His bundle electrograms, 1:24-28

Hypervolemia
phonocardiographic studies during experimental hypo- and hypervolemia in healthy newborn, 2:158-167

Hypovolemia
phonocardiographic studies during experimental hypo- and hypervolemia in healthy newborn, 2:158-167

I

Intraventricular conduction
supernormal intraventricular conduction, 3:240-248

L

Left axis deviation
as an electrocardiographic manifestation of acute pulmonary embolism, 1:67-69

Letter to editor
evaluation of ST elevation and T wave inversion after exercise, 1:84-85
how to evaluate the ST segment elevation during or after exercise, 1:83

M

Multipole expansion
derivation of aimed electrocardiographic leads from, 4:291-298

Myocardial infarction
diagnostic changes of acute myocardial infarction in ECG & VCG with coexisting complete left bundle branch block, 3:267-270
unusual normalization of the ECG on the 6th day of, 4:363-368

N

Necrosis
of the posterior aspect of the free left ventricular wall associated with block of the posterior subdivision of the left bundle branch of His, 1:44-49

Notation
differential vectorcardiography, 4:374-376
elimination of turnaround time in routine ECG processing, 3:279-281
heart vector magnitude: simple recording system, 4:377-378

O

Occlusion
induction of arrhythmias by sympathetic activity before and after occlusion of coronary artery in the canine heart, 1:34-43

P

Pacemakers
cardiac arrhythmias related to artificial pacemakers, 3:220-226
vectorcardiography in patients with myocardial infarction and intraventricular conduction defects, 1:1-10
vector analysis of the stimulus artefact in patients with endocardial pacemakers, 2:91-104

P Wave
diagnostic value of P wave in lead V_1 in chronic obstructive pulmonary disease, 3:182-186
unusual giant P waves in a boy of 12 with cardiomegaly, 1:70-76

Pericarditis
revisited, 1:62-66

Premature beats
bradycardia-dependent atrio-ventricular block — report of 2 cases of AV block elicited by premature beats, 2:168-172

Pulmonary disease
diagnostic value of P wave in lead V_1 in chronic obstructive pulmonary disease, 3:182-186

Purkinje
action potential duration in canine purkinje tissue: effects of preceding excitation, 2:105-115
microelectrode study of 2:1 conduction block in canine purkinje fibers, 1:50-57

Q

QRS Amplitude
relation of QRS magnitude to the frontal QRS axis and the heart-electrode distance, 3:249-260

QRS axis deviation
relation of QRS magnitude to the frontal QRS axis and the heart-electrode distance, 3:249-260

R

Repolarization
neurogenic abnormalities of ventricular repolarization, 2:87-90

Reproducibility
non-reproducibility of serial vectorcardiograms obtained by the Frank system, 4:307-314

S

ST Segment elevation
evaluation of ST elevation and T wave inversion after exercise, 1:84-85
how to evaluate the ST segment elevation during or after exercise, 1:83
spectrum of ST segment elevation in the electrocardiograms of healthy adult men, 2:137-144

Systems
electrocardiographic parameters of the normal domestic cat: comparison of standard limb leads and an orthogonal system, 4:315-321
elimination of turnaround time in routine ECG processing, 3:279-281
heart vector magnitude: a simple recording system, 4:377-378
major VCG systems proposed in USA, 3:179-181
mechanoelectrical model reproducing ECG, VCG, and electrical cardiac field from monophasic action potentials, 3:187-198
non-reproducibility of serial vectorcardiograms obtained by the Frank system, 4:307-314

T

Tachycardia
atrial tachycardia with high degree of intra-atrial block, 4:369-370
idioatrial tachycardia, 3:227-230

Tetanus
electrocardiographic abnormalities in generalized tetanus, 3:271-274

T-Wave
neurogenic abnormalities of ventricular repolarization, 2:87-90

V

Vectorcardiogram
diagnostic changes of acute myocardial infarction in the ECG and VCG with coexisting complete left bundle branch block, 3:267-270
differential vectorcardiography, 4:374-376
Frank VCG in left anterior hemiblock, 2:116-128
Frank VCG in left posterior hemiblock, 2:129-136
necrosis of the posterior aspect of the free left ventricular wall associated with block of posterior subdivision of left bundle branch of His, 1:44-49
non-reproducibility of serial vectorcardiograms obtained by the Frank system, 4:307-314
pacemaker vectorcardiography in patients with myocardial infarction and intraventricular conduction defects, 1:1-10
vectorcardiographic features of left anterior hemiblock combined with complete right bundle branch block, 4:322-330

Vector analysis
of the stimulus artefact in patients with endocardial pacemakers, 2:91-104

W

Wolff-Parkinson-White syndrome
association of Group B with paroxysmal atrial fibrillation, 1:77-79